



JC01 Rec'd PCT/PTO 19 JUL 2005 PCT

Practitioner's cket No. 1111-29

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: FULLAM, Philip Stephen; WRIGHT, David Kent

Application No.: 10 / 535713

Group No.:

Filed: 20 May 2005

Examiner:

For: METHOD AND APPARATUS FOR DETECTING MASTITIS

Commissioner for Patents

Washington, D.C. 20231

REQUEST FOR CORRECTED FILING RECEIPT

1. Attached is a copy of the official filing receipt received from the PTO in the above application for which issuance of a corrected filing receipt is respectfully requested.

NOTE: The PTO will not correct the filing receipt until the application is complete (in other words, the applicant files a response to the notice to file missing parts).

2. There is an error with respect to the following data, which is:

☒ incorrectly entered

and/or

☐ omitted.

CERTIFICATION UNDER 37 C.F.R. §§ 1.8(a) and 1.10*

(When using Express Mail, the Express Mail label number is mandatory;
Express Mail certification is optional.)

I hereby certify that, on the date shown below, this correspondence is being:

MAILING

- ☒ deposited with the United States Postal Service in an envelope addressed to the Commissioner for Patents, Washington, D.C. 20231

37 C.F.R. § 1.8(a)**37 C.F.R. § 1.10 ***

- ☒ with sufficient postage as first class mail.

☐ as "Express Mail Post Office to Addressee"

Mailing Label No. _____ (mandatory)

TRANSMISSION

- ☐ facsimile transmitted to the Patent and Trademark Office, (703) _____

Date: 7-15-05

Signature


John S. Egbert

(type or print name of person certifying)

* Only the date of filing (§ 1.6) will be the date used in a patent term adjustment calculation, although the date on any certificate of mailing or transmission under § 1.8 continues to be taken into account in determining timeliness. See § 1.703(f). Consider "Express Mail Post Office to Addressee" (§ 1.10) or facsimile transmission (§ 1.6(d)) for the reply to be accorded the earliest possible filing date for patent term adjustment calculations.

(Request for Corrected Filing Receipt [5-8]—page 1 of 2)

Error in

1. ☒ Applicant's name
2. ☐ Applicant's address
3. ☐ Title
4. ☐ Filing Date
5. ☐ Application Number
6. ☐ Foreign/PCT Application Re:
7. ☐ Other

Correct data

1. FULLAM, Philip Stephen;
2. WRIGHT, David Kent
- 3.
- 4.
- 5.
- 6.
- 7.

The order of the inventor names were switched.
The filing date of the PCT application was incorrect
on the Application Data Sheet. A corrected Application
Data Sheet is attached.

Reg. No.: 30627

Tel. No.: ()

Customer No.: 24106



SIGNATURE OF PRACTITIONER

John S. Egbert

(type or print name of practitioner)

P.O. Address

(Request for Corrected Filing Receipt [5-8]—page 2 of 2)